

## 越都碎纸机 YD-428130

### 产品概览 Product Overview

图 1: 整机图右侧面



图 2: 整机正面, 入口及可视窗



图 3: 整机图左侧面



图 4: 整机图后面



图 5: 出料输送装置拉出来效果



图 6: 整机图侧面加输送出料



### 主要参数 Technical Specifications:

ID 型号	YD-428130	YD-428130M2
进纸宽度	460mm	
碎后尺寸 <sup>1</sup>	5.8mm*50mm	2*15mm
碎纸能力	130 张	60 张
重量	500kg	
额定功率	3.7KW 三相电 380V	
连续工作	24 hours	
外形(mm)	1290 mm * 1450 mm * 1660 mm (如果选配附带出料传送带, 则深度为 2450mm)	
废纸箱(升)	300L	
价格(¥)	159580 RMB	199710 RMB



### + 可选配置: 打包机部分

打包部分参数

每小时出包量: 5-8 包

包块重量: 50-70kg

压缩能力: 80kN


打包尺寸: 565x480x(200~700)mm

电机功率: 三相 380V, 3.7KW, 10A

整机尺寸(mm): 2390x685x970mm

净重: 600kg

### 含打包机尺寸图



<sup>1</sup> 可定制粉碎尺寸粉碎尺寸 4\*40mm 或 1\*10mm

## YUEDU Shredders YD-428130

### Product Overview

Fig. 1 Right-side view



Fig. 2 Front view with feeding window



Fig. 3 Left-side view



Fig. 4 Rear view



Fig. 5 Discharge conveyor extended



Fig. 6 Full with conveyor discharge



### Technical Specifications:

ID	Model	YD-428130	YD-428130M2
	Feed Width (mm)	460mm	
	Cut Size <sup>2</sup>	5.8mm*50mm	2*15mm
	Max Sheets	130	60
	Weight (kg)	500kg	
	Power	3.7KW 380V	
	Continuous	24 hours	
	L×W×H (mm)	1290 mm * 1450 mm * 1660 mm (Depth extends to 2450 mm with Discharge Conveyor)	
	Bin(L)	300L	
	Price (USD)	\$22,511 USD	\$28,128 USD




### Optional Add-ons: Baling Systems

#### Baling Specifications

- Output/h: 250–560 kg
- Bale Weight: 50–70 kg
- Baling Pressure: 80kN
- Baling: 565x480x(200~700)mm
- Power: 3.7 kW, 3 phase 400 V / 50 HZ
- L×W×H (mm): 2390x685x970mm
- Weight (kg): 600kg

### System Overview: Three-View Diagram



<sup>2</sup> Customizable sizes. Common options: 4×40mm, 1×10mm.

