

## YUEDU YD-5002 Shredder

### Book Shredding & Baling Systems

Floor-mounted conveyor and rear baling system  
for efficient shredding and compact waste handling.




500CC shredder + 10T baler combo, ideal for secure rooms and archives.

Shreds up to **500 kg/h**, compresses into **50–75 kg paper bales**.

- ⚙️ Output/h: 500–600 kg
- ⚖️ Bale Weight: 50–75 kg
- 📦 Baling Pressure: 85 kN
- ⚡ Power: 11.5 kW, 3 phase 400 V / 50 HZ
- 📏 LxWxH (mm): 3257\*2588\*2284

## System Overview: Three-View Diagram



---

# YUEDU YD-5002

## 500-Sheet Capacity

### Industrial Secure Destruction Center Hub

#### Ultimate Throughput for Destruction Centers

- **500-Sheet Massive Feeding:** Capable of shredding 500 sheets in a single pass, designed for large-scale centralized destruction centers.
- **System Integration:** Features a 500mm wide opening (upgradable to 600mm) that seamlessly integrates with **conveyor belt feeding** and **waste balers** for an automated workflow.

## Shredding Unit | YD-5002

Tailored Solutions: Shredding units can be configured or custom-built for unique applications.

 Security Level (DIN 66399)	<i>P-2/O-2/T-2/E-2</i>	<i>P-3/O-2/T-3/E-2</i>	<i>P-4/O-3/T4/E-3</i>	<i>P-5/O-4/T5/E-4/F-2</i>
 Feed Width (mm)	500	500	500	500
 Cut Size(mm)	10.5x40-75	6x50	3.8x40	1.9x15
 Max Sheets	500-550	340-380	180-200	90-100
 Weight (kg)	1200	1200	1200	1200
 Power	7.5KW 3 x 400 V/50 Hz	7.5KW 3 x 400 V/50 Hz	7.5KW 3 x 400 V/50 Hz	9.5KW 3 x 400 V/50 Hz
 L×W×H (mm)	1318×1843×1638	1318×1843×1638	1318×1843×1638	1318×1843×1638
 Bin(L)	550L	550L	550L	550L